

Kiss with confidence this Valentine's Day

Issued by [Simonsays Communications](#)

9 Feb 2018

Turn your bad breath day into a good one with Nova Breath

It's really embarrassing when someone points out that you have bad breath – offering you a mint or some gum – and there's little you can do but swallow the mint along with your pride. The truth of the matter though – halitosis (chronic bad breath) is a medical condition that doesn't discriminate. Anyone, including men, women, and children of every race and culture can develop bad breath¹. Left untreated, this oral condition can cause great distress, anxiety² and even isolation. More than that, it can be an indicator of a more serious underlying health concern³.



When you think that over 600 species⁴ of micro-organisms can live in your mouth – it's not surprising that anyone can develop bad breath when it's out of control.

Cause of the complaint

As much as 85% to 90% of bad breath is caused by oral factors⁵ (in the mouth) with a possible 10% to 15% from systemic conditions and diseases in the body which are unrelated to the mouth.

Oral causes include tooth decay, bacteria in the mouth, and certain medications⁶ (anti-depressants, narcotics, antihistamines). Foods like onion, garlic, coffee and alcohol, as well as cigarettes⁷ also contribute towards bad breath. For women, ovulation, menstruation, pregnancy and menopause⁸ are non-oral causes, while some serious illnesses like kidney failure, diabetes, cancer, bronchial and lung infections⁹ are indicators for bad breath.

Treatment from the breath doctor

Drinking plenty of water is known to help combat bad breath, but it's not always enough. The good news is with the launch of Nova Breath – a new medically tested solution to help prevent and treat bad breath – you don't need to leave those around you breathless for all the wrong reasons. With four options in the OTC range, there's a product for every preference, including a mouthwash, mouth spray, lozenges and toothpaste. The ingredients – each with a different function – work together to reduce unpleasant oral odours. The unique clinically tested formulation is enriched with components (mucoadhesives) to keep the ingredients in your mouth so as to produce the required change. More than that – it outlasts mints – and the sustained release of the active ingredients ensures a fresh breath for up to eight hours¹⁰.

With Valentine's Day upon us and plenty of occasions for celebratory kisses - make sure you can kiss with confidence. There's nothing worse than potential partners recoiling as you pucker up.

For more information find us on Facebook: [BGM pharmaceuticals](#)

Product fast facts:

Nova Breath Lozenges – sugar-free

- Isomalt-based lozenges
- Once in the mouth, the active ingredients are slowly released into the oral orifice where they act to reduce bad breath.

- Suck one lozenge every two to three hours, up to eight times per day.
- Suitable for adults, from age six and over.
- 32 Lozenges in a box

Suggested RSP - from: R88.80 excl. VAT



Nova Breath Toothpaste

Has a dual application:

- Continuous prevention of bad breath.
- Protection against tooth decay.
- Brush your teeth twice a day with the toothpaste - preferably after every meal.
- Suitable for adults, from age six and over.
- 75ml tubes



Suggested RSP - from: R68.20 excl. VAT

Nova Breath Mouthwash

- The action of the mouthwash begins immediately.
- Suitable for adults, from age six and over.
- 350ml bottles

Suggested RSP - from: R114.28 excl. VAT



Nova Breath Mouth Spray

- A handy pocket-sized spray.
- The action of the mouth spray begins immediately.
- Press lightly to spray the solution into the oral cavity. Spray once or twice.
- Do not use more than six times per day.
- Suitable for adults, from age six and over.
- 8.5ml spray

Suggested RSP - from: R51.00 excl. VAT



References:

1. Guglielmi M, Beushausen M, Feng C, Halitosis as a product of hepatic disease. *SADJ* 2014;69(8):364-367.
2. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
3. Badanjak SM. Halitosis in the absence of oral causes: Recent research on the etiology of non oral origins of halitosis. *Can J Dent Hygiene* 2012;**46**(4):231–237.
4. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
5. Guglielmi M, Beushausen M, Feng C, Halitosis as a product of hepatic disease. *SADJ* 2014;69(8):364-367. de Godoi Machado NA, Strini PJSA, Carneiro MOP, *et al.* Halitosis: a review of basic principles. *Braz J Oral Sci.* 2008;**7**(26):1627-1630. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
6. de Godoi Machado NA, Strini PJSA, Carneiro MOP, *et al.* Halitosis: a review of basic principles. *Braz J Oral Sci.* 2008;**7**(26):1627-1630. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
7. de Godoi Machado NA, Strini PJSA, Carneiro MOP, *et al.* Halitosis: a review of basic principles. *Braz J Oral Sci.* 2008;**7**(26):1627-1630. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
8. Guglielmi M, Beushausen M, Feng C, Halitosis as a product of hepatic disease. *SADJ* 2014;69(8):364-367. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
9. de Godoi Machado NA, Strini PJSA, Carneiro MOP, *et al.* Halitosis: a review of basic principles. *Braz J Oral Sci.* 2008;**7**(26):1627-1630. Akaji EA, Folaranmi N, Ashiwaju O. Halitosis: A Review of the Literature on Its Prevalence, Impact and Control. *Oral Health Prev Dent* 2014;**12**:297-304.
10. Sterer N, Ovadia O, Weiss EI, *et al.* Day-long reduction of oral malodour by a palatal mucoadhesive tablet containing herbal formulation. *J. Breath Res.* 2013(7):1-5. Sterer N, Nuas S, Mizrahi B, *et al.* Oral malodour reduction by a palatal mucoadhesive tablet containing herbal formulation. *J Dent* 2008(86):535–539.

For more, visit: <https://www.bizcommunity.com>